

## SAFETY DATA SHEET (SDS)

SAFETY DATA SHEET (SDS)				
	Section 1. Identific	ation		
Product identifier GLASS CLEANER				
Other means of identificat	tion AE109			
Recommended use and restrictions on use Glass cleaner. Aerosol container.				
Initial supplier identifier Asalco Inc. 44, ch. Des Ursulines, Stanstead, Québec (Canada), JOB 3E0				
Telephone 819-876-2211; Fax 819-876-5373; Internet <u>www.asalco.com</u>				
Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666				
Section 2. Hazard identification				
Classification of hazardous product (name of the category or subcategory of the hazard class)				
Aerosol (Category 3)				
Gas under pressure (compressed gas)				
Eye irritation (Category 2A)				
Specific target organ toxicity – single exposure (Category 3), Central nervous system				
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)				
Warning H229 Pressurized container	: may burst if heated.			
H280 Contains gas under pressure; may explode if heated.				
H319 Causes serious eye irritation.				
H336 May cause drowsiness or dizziness.				
*** May displace oxygen and cause rapid suffocation. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.				
	pierce or burn, even after use. P261 Avoid breathing			
	P271 Use only outdoors or in a well-ventilated area.			
	+P338 IF IN EYES, Rinse cautiously with water for s			
	P313 If eye irritation persists: Get medical attention. I			
	P312 Call a doctor if you feel unwell. P410+P412+P			
	ore in a well-ventilated area. Keep container tightly c			
	dance with local, regional or national regulations.			
Other hazards known	Simple Asphyxiants (Category 1) A gas that is a	simple asphyxiant***		
	Section 3. Composition/informa			
Chemical name (common	•	CAS number or other	Concentration (%)	
Isopropanol	name/synonyms)	67-63-0	< 5	
2-Butoxyethanol		111-76-2	<2	
Sodium nitrite		7632-00-0	<1	
Isobutane		75-28-5	< 5	
Propane		74-98-6	< 1	
	Section 4. First-aid m	easures		
Inhalation	IF INHALED: Remove person to fresh air and keep	comfortable for breathing. Call a d	loctor if you feel unwell.	
Ingestion	IF SWALLOWED: Immediately call a doctor. DO	NOT INDUCE VOMITING. NEV	ER give anything by mouth if	
	victim is rapidly losing consciousness, or is uncon	scious or convulsing. Rinse mouth	thoroughly with water. Have	
	victim drink two glasses of water. If vomiting occur	s naturally, have victim lean forwar	rd to reduce risk of aspiration.	
Skin contact	IF ON SKIN, Wash with plenty of water for several			
Eye contact	IF IN EYES, Rinse cautiously with water for severa			
	do. Continue rinsing. If eye irritation persists: Get r			
Most important symptom		ritation.		
			his document	
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.				
Section 5. Fire-fighting measures				
Specific hazards of the hazardous product (hazardous combustion products)				
Carbon oxides and other irritant/toxic gases and fumes.				
Suitable and unsuitable extinguishing media				
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.				
Special protective equipm	ent and precautions for fire-fighters			
	c smoke and fumes may be generated. Do not enter fi			
	protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans.			
Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.				

Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.



Section 6. Accidental release measures				
Personal precautions, protective equipment and emergency procedures				
Restrict access to area until completion of clean-up. Ensure clean-up is co	onducted by trained personnel only. All persons dealing with clean-up			
should wear the appropriate protective equipment (See Section 8).				
Methods and materials for containment and cleaning up				
Ventilate area of release. Stop the leak if it can be done safely. Contain and	absorb any spilled liquid concentrate with inert absorbent material, then			
place material into a container for later disposal (see Section 13). Contaminate				
Notify the appropriate authorities as required.				
Section 7. Handling and storage				
Precautions for safe handling				
Wear protective gloves/ protective clothing/ eye protection/ face protection. Protect from sunlight. Do not expose to temperatures exceeding 50				
°C/122 °F. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not pierce or burn, even after use. Use only outdoors or in a				
well-ventilated area.				
Before handling, it is very important that engineering controls are operatin				
measures are being followed. People working with this chemical should				
containers for leaks before handling. Label containers appropriately. Ensure				
Avoid contact with eyes, skin and clothing. Keep away from heat, sparks				
mists. Keep away from incompatible materials (Section 10). Keep contain Refer also to Section 8. Keep out of reach of children.	lers closed when not in use. Empty containers are always dangerous.			
Conditions for safe storage, including any incompatibilities				
Store in a well-ventilated place. Keep container tightly closed. Keep cool. S	Store locked up. Store away from incompatible materials (Section 10)			
Inspect all incoming containers to make sure they are properly labelled a				
obstruction and accessible only to trained personnel. Inspect periodically for				
Section 8. Exposure contro				
Control parameters (biological limit values or exposure limit values and				
Exposure limits: CAS 74-98-6 & 75-28-5 – ACGIH – TLV-TWA (STEL) and				
ppm & TLV-STEL 400 ppm & PEL-TWA 400 ppm; CAS 111-76-2 – ACGIH – TLV-TWA 20 ppm & PEL-TWA 50 ppm;				
Appropriate engineering controls				
Use under well-ventilated conditions. Local exhaust ventilation system i				
exposure limits. Make emergency eyewash stations, safety/quick-drench sho	owers, and washing facilities available in work area.			
Individual protection measures/personal protective equipment				
Respiratory protection is required if the concentrations are higher than the				
limits are unknown. Chemically protective gloves (impervious), and other p				
be worn during all handling operations. Wear protective chemical splash ge				
thoroughly after handling. Do not eat, drink or smoke when using this prod	luct. Practice good personal hygiene after using this material. Remove			
and wash contaminated work clothing before re-use.	-h			
Section 9. Physical and o				
Appearance, physical state/colourClear liquid (aerosol)OdourOdourless	Vapour pressure     Not available       Vapour density     Not available			
	1 V			
	Relative density     Not available       Salukiitan     Salukia			
pH Not available	Solubility Soluble			
Melting/freezing point     Not available       Initial boiling point/range     Not available	Partition coefficient - n-octanol/water Not available			
Flash point     Not available (flame projection < 5 cm & no flashback)	Auto-ignition temperature Not available   Decomposition temperature Not available			
Evaporation rate     Not available	Decomposition temperature     Not available       Viscosity     Not available			
Flammability (solids and gases) Not a flammable aerosol (4.1 kJ/g)	VOC     Not available			
Upper and lower flammability/explosive limits Not available	Other     None known			
Section 10. Stability and reactivity				
Reactivity				
Does not react under the recommended storage and handling conditions prescr	ibed.			
Chemical stability				
Stable under the recommended storage and handling conditions prescribed.				
Possibility of hazardous reactions				
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not pierce or burn, even after use. Protect from sunlight.				
Do not expose to temperatures exceeding 50 °C/122 °F.				
Conditions to avoid (static discharge, shock or vibration)				
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Protect				
from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.				
Incompatible materials				
Oxidizing materials; etc.				
Hazardous decomposition products				
None known				



Section 11 Texteclorical information			
Section 11. Toxicological information			
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)			
Causes serious eye irritation. May cause drowsiness or dizziness. May displace oxygen and cause rapid suffocation.			
Symptoms related to the physical, chemical and toxicological characteristics			
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; Respiratory tract irritation, coughing, shortness of breath, dizziness,			
drowsiness, nausea and headaches.			
Delayed and immediate effects (chronic effects from short-term and long-term exposure)			
Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available;			
Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP; Reproductive Toxicity – No data available; Specific Target Organ Toxicity –			
Single Exposure – Possible; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – – No data available;			
Health Hazards Not Otherwise Classified – No data available.			
Numerical measures of toxicity (ATE; $LD_{50}$ & $LC_{50}$ )			
CAS 75-28-5 LC <sub>50</sub> 658000 mg/m <sup>3</sup> 4 hrs (rat); CAS 67-63-0 LD <sub>50</sub> Oral - Rat - 4720 mg/kg; LC <sub>50</sub> Inhalation - Rat - 17000 ppm 4hrs; LD <sub>50</sub> Dermal -			
Rabbit - 12890 mg/kg; CAS 111-76-2 LD50 (oral, rat) 880 mg/kg & LD50 (dermal, rabbit) 1060 mg/kg; CAS 7632-00-0 LD <sub>50</sub> oral, rat 157			
mg/kg;			
ATE not available in this document.			
Section 12. Ecological information			
Ecotoxicity (aquatic and terrestrial information) No data available for this product.			
Persistence and degradability No data available for this product.			
Bioaccumulative potential No data available for this product.			
Mobility in soil     No data available for this product.			
Other adverse effects     No data available			
Section 13. Disposal considerations			
Information on safe handling for disposal/methods of disposal/contaminated packaging			
Dispose of contents/container into safe container in accordance with local, regional or national regulations.			
Section 14. Transport information			
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations			
UN1950; AEROSOLS; CLASS 2.2			
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)			
UN1950; AEROSOLS; CLASS 2.2			
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)			
UN1950; AEROSOLS; CLASS 2.2			
<b>Special precautions (transport/conveyance)</b> May also be shipped as a LIMITED QUANTITY in accordance with TDG.			
Environmental hazards (IMDG or other) None			
Bulk transport (usually more than 450 L in capacity) Not possible			
Section 15. Regulatory information			
Safety/health Canadian regulations specifics   Refer to Section 2 for the appropriate classification. This product has been classified :			
accordance with the hazard criteria of the Hazardous Products Regulations (HPR).			
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL			
Safety/health/environmental outside regulations specifics			
United States OSHA information: This product is regulated according to OSHA (29 CFR).			
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.			
United States TCSA information: Refer to the ingredients listed in Section 3.			
National Fire Protection Association (NFPA):			
HEALTH: 2 FLAMMABILITY: 1 INSTABILITY: 1 SPECIAL HAZARDS: Refer to Section 2 & 3.			
HAZARD SCALE: $0 = Minimal$ $1 = Slight$ $2 = Moderate$ $3 = Serious$ $4 = Severe$			



Section 16. Other information		
Date of the latest revision of the safety data sheet April 25, 2017 version 1 (NSS ENTREPRISE INC.)		
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.	
Abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
ATE	Acute toxicity estimate	
CAS	Chemical Abstract Service	
DSL	Domestic Substance List	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods Code	
LC	Lethal concentration	
LD	Lethal Dosage	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program (U.S.A.)	
OSHA	Occupational Safety and Health Administration (U.S.A.)	
PEL	Permissible Exposure Limit	
STEL	Short-term Exposure Limit	
TDG	Transport of dangerous goods in Canada	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
TWA	Time Weighted Average	
WHMIS	Workplace Hazardous Materials Information System	
To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that		
these are the only h	azards that exist.	